

Page 1 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
Revision date / version: 07.11.2025 / 0023  
Replacing version dated / version: 17.06.2025 / 0022  
Valid from: 07.11.2025  
PDF print date: 10.11.2025  
Kettenspray  
Chain Spray

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Kettenspray  
Chain Spray**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Lubricant

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

GB

LIQUI MOLY GmbH  
Jerg-Wieland-Str. 4  
89081 Ulm-Lehr  
Tel.: (+49) 0731-1420-0  
Fax: (+49) 0731-1420-88

LIQUI MOLY UK  
1310 Solihull Parkway  
Birmingham Business Park  
B37 7YB Solihull  
Tel: +44 121 796 5365

Qualified person's e-mail address: [info@chemical-check.de](mailto:info@chemical-check.de), [k.schnurbusch@chemical-check.de](mailto:k.schnurbusch@chemical-check.de) Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number Emergency information services / official advisory body:

GB

Landspítali- The National University Hospital of Iceland, tel. +354 543 2222 or 112 (valid only for Iceland)

##### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)  
+1 872 5888271 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class | Hazard category | Hazard statement                                   |
|--------------|-----------------|----------------------------------------------------|
| Skin Irrit.  | 2               | H315-Causes skin irritation.                       |
| Asp. Tox.    | 1               | H304-May be fatal if swallowed and enters airways. |
| STOT SE      | 3               | H336-May cause drowsiness or dizziness.            |

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 07.11.2025 / 0023

Replacing version dated / version: 17.06.2025 / 0022

Valid from: 07.11.2025

PDF print date: 10.11.2025

Kettenspray

Chain Spray

|                 |   |                                                       |
|-----------------|---|-------------------------------------------------------|
| Aquatic Chronic | 2 | H411-Toxic to aquatic life with long lasting effects. |
| Aerosol         | 1 | H222-Extremely flammable aerosol.                     |
| Aerosol         | 1 | H229-Pressurised container: May burst if heated.      |

## 2.2 Label elements

### Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H315-Causes skin irritation. H336-May cause drowsiness or dizziness. H411-Toxic to aquatic life with long lasting effects. H222-Extremely flammable aerosol. H229-Pressurised container: May burst if heated.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211-Do not spray on an open flame or other ignition source. P251-Do not pierce or burn, even after use. P261-Avoid breathing vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves.

P312-Call a POISON CENTRE / doctor if you feel unwell.

P405-Store locked up. P410+P412-Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P501-Dispose of contents / container to an approved waste disposal facility.

Without adequate ventilation, formation of explosive mixtures may be possible.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Baseoil - unspecified

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture contains a PBT substance (PBT = persistent, bioaccumulative, toxic).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## SECTION 3: Composition/information on ingredients

Aerosol

### 3.1 Substances

n.a.

### 3.2 Mixtures

|                                                                        |                                                                                                              |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane      |                                                                                                              |
| Registration number (REACH)                                            | 01-2119475514-35-XXXX                                                                                        |
| Index                                                                  | ---                                                                                                          |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 921-024-6                                                                                                    |
| CAS                                                                    | ---                                                                                                          |
| content %                                                              | 20-<30                                                                                                       |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411 |

Page 3 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
Revision date / version: 07.11.2025 / 0023  
Replacing version dated / version: 17.06.2025 / 0022  
Valid from: 07.11.2025  
PDF print date: 10.11.2025  
Kettenspray  
Chain Spray

|                                                                               |                   |
|-------------------------------------------------------------------------------|-------------------|
| <b>Baseoil - unspecified *</b>                                                |                   |
| <b>Registration number (REACH)</b>                                            | ---               |
| <b>Index</b>                                                                  | ---               |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | ---               |
| <b>CAS</b>                                                                    | ---               |
| <b>content %</b>                                                              | <20               |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Asp. Tox. 1, H304 |

|                                                                               |                                         |
|-------------------------------------------------------------------------------|-----------------------------------------|
| <b>O,O,O-triphenyl phosphorothioate</b>                                       | <b>PBT-substance<br/>SVHC-substance</b> |
| <b>Registration number (REACH)</b>                                            | 01-2119979545-21-XXXX                   |
| <b>Index</b>                                                                  | ---                                     |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 209-909-9                               |
| <b>CAS</b>                                                                    | 597-82-0                                |
| <b>content %</b>                                                              | 0,1-<2,5                                |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Aquatic Chronic 1, H410 (M=10)          |

|                                                                               |                                           |
|-------------------------------------------------------------------------------|-------------------------------------------|
| <b>Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene</b>  |                                           |
| <b>Registration number (REACH)</b>                                            | 01-2119491299-23-XXXX                     |
| <b>Index</b>                                                                  | ---                                       |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 270-128-1                                 |
| <b>CAS</b>                                                                    | 68411-46-1                                |
| <b>content %</b>                                                              | 0,1-<1                                    |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Repr. 2, H361f<br>Aquatic Chronic 3, H412 |

|                                                                               |                                                                                               |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Isodecyl methacrylate</b>                                                  |                                                                                               |
| <b>Registration number (REACH)</b>                                            | 01-2119894925-17-XXXX                                                                         |
| <b>Index</b>                                                                  | 607-134-00-4                                                                                  |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 249-978-2                                                                                     |
| <b>CAS</b>                                                                    | 29964-84-9                                                                                    |
| <b>content %</b>                                                              | 0,1-<0,25                                                                                     |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>Aquatic Chronic 1, H410 (M=1) |
| <b>Specific Concentration Limits and ATE</b>                                  | STOT SE 3, H335: >=10 %                                                                       |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.  
For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

\* The contained mineral oil can be described by one or more of the following numbers:

| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b> | <b>Registration number (REACH)</b> | <b>Chemical name</b>                                      |
|-----------------------------------------------|------------------------------------|-----------------------------------------------------------|
| 265-157-1                                     | 01-2119484627-25-XXXX              | Distillates (petroleum), hydrotreated heavy paraffinic    |
| 265-169-7                                     | 01-2119471299-27-XXXX              | Distillates (petroleum), solvent-dewaxed heavy paraffinic |
| 265-158-7                                     | 01-2119487077-29-XXXX              | Distillates (petroleum), hydrotreated light paraffinic    |
| 265-159-2                                     | 01-2119480132-48-XXXX              | Distillates (petroleum), solvent-dewaxed light paraffinic |
| 232-455-8                                     | 01-2119487078-27-XXXX              | White mineral oil (Natural oil)                           |

The substances named in this section are given with their actual, appropriate classification!  
For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.  
The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!  
Never pour anything into the mouth of an unconscious person!

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 07.11.2025 / 0023

Replacing version dated / version: 17.06.2025 / 0022

Valid from: 07.11.2025

PDF print date: 10.11.2025

Kettenspray

Chain Spray

## Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

## Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

## Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

## Ingestion

Typically no exposure pathway.

Do not induce vomiting. Consult doctor immediately.

In case of vomiting, keep head low so that the stomach content does not reach the lungs.

## 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Irritation of the respiratory tract

Coughing

Headaches

Dizziness

Effect on the central nervous system

Coordination disorders

Mental confusion

Unconsciousness

Ingestion:

Nausea

Vomiting

Danger of aspiration.

Oedema of the lungs

Chemical pneumonitis (condition similar to pneumonia)

## 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

### Suitable extinguishing media

CO<sub>2</sub>

Foam

Extinction powder

Water jet spray

### Unsuitable extinguishing media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Oxides of phosphorus

Metal oxides

Toxic gases

Danger of bursting (explosion) when heated

Possible build up of explosive/highly flammable vapour/air mixture.

## 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

### 6.2 Environmental precautions

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

If spray or gas escapes, ensure ample fresh air is available.

Without adequate ventilation, formation of explosive mixtures may be possible.

Active substance:

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13.

Do not wash away with water or watery cleaning agents.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke.

Take measures against electrostatic charging, if appropriate.

Do not use on hot surfaces.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Solvent resistant floor

Observe special regulations for aerosols!

Observe special storage conditions.

Keep protected from direct sunlight and temperatures over 50°C.

Store in a well ventilated place.

### 7.3 Specific end use(s)

No information available at present.

Page 6 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
 Revision date / version: 07.11.2025 / 0023  
 Replacing version dated / version: 17.06.2025 / 0022  
 Valid from: 07.11.2025  
 PDF print date: 10.11.2025  
 Kettenspray  
 Chain Spray

Observe the instructions for good working practice and the recommendations for risk assessment.  
 Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries, depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40):  
 1000 mg/m<sup>3</sup>

| CE                     | Chemical Name | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane   |     |
|------------------------|---------------|---------------------------------------------------------------------|-----|
| WEL-TWA: 1000 mg/m3    |               | WEL-STEL: ---                                                       | --- |
| Monitoring procedures: |               | - Compur - KITA-187 S (551 174)                                     |     |
| BMGV: ---              |               | Other information: (OEL acc. to RCP-method, paragraphs 84-87, EH40) |     |

| CE                                                             | Chemical Name | Hydrocarbons, C3-4                                              |  |     |
|----------------------------------------------------------------|---------------|-----------------------------------------------------------------|--|-----|
| WEL-TWA: 1000 ppm (1750 mg/m3) (Liquefied petroleum gas (LPG)) |               | WEL-STEL: 1250 ppm (2180 mg/m3) (Liquefied petroleum gas (LPG)) |  | --- |
| Monitoring procedures:                                         |               | ---                                                             |  |     |
| BMGV: ---                                                      |               | Other information: ---                                          |  |     |

|                                                                                    |                      |                                      |  |     |
|------------------------------------------------------------------------------------|----------------------|--------------------------------------|--|-----|
|  | <b>Chemical Name</b> | Oil mist, mineral                    |  |     |
| WEL-TWA: 5 mg/m3 (Mineral oil, excluding metal working fluids, ACGIH)              |                      | WEL-STEL: ---                        |  | --- |
| Monitoring procedures:                                                             |                      | - Draeger - Oil Mist 1/a (67 33 031) |  |     |
| BMGV: ---                                                                          |                      | Other information: ---               |  |     |

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane |                                            |                             |            |       |                   |      |
|-------------------------------------------------------------------|--------------------------------------------|-----------------------------|------------|-------|-------------------|------|
| Area of application                                               | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit              | Note |
| Consumer                                                          | Human - oral                               | Long term, systemic effects | DNEL       | 699   | mg/kg bw/d        |      |
| Consumer                                                          | Human - dermal                             | Long term, systemic effects | DNEL       | 699   | mg/kg bw/d        |      |
| Consumer                                                          | Human - inhalation                         | Long term, systemic effects | DNEL       | 608   | mg/m <sup>3</sup> |      |
| Workers / employees                                               | Human - inhalation                         | Long term, systemic effects | DNEL       | 2035  | mg/m <sup>3</sup> |      |
| Workers / employees                                               | Human - dermal                             | Long term, systemic effects | DNEL       | 733   | mg/kg bw/d        |      |

| Baseoil - unspecified |                                            |                             |            |       |                   |      |
|-----------------------|--------------------------------------------|-----------------------------|------------|-------|-------------------|------|
| Area of application   | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit              | Note |
|                       | Environment - oral (animal feed)           |                             | PNEC       | 9,33  | mg/kg             |      |
| Consumer              | Human - inhalation                         | Long term, local effects    | DNEL       | 1,19  | mg/m <sup>3</sup> |      |
| Consumer              | Human - oral                               | Long term, systemic effects | DNEL       | 0,74  | mg/kg             |      |
| Workers / employees   | Human - dermal                             | Long term, systemic effects | DNEL       | 0,97  | mg/kg             |      |
| Workers / employees   | Human - inhalation                         | Long term, local effects    | DNEL       | 5,58  | mg/m <sup>3</sup> |      |
| Workers / employees   | Human - inhalation                         | Long term, systemic effects | DNEL       | 2,73  | mg/m <sup>3</sup> |      |

**O,O,O-triphenyl phosphorothioate**

| Area of application | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit         | Note |
|---------------------|--------------------------------------------|-----------------------------|------------|-------|--------------|------|
|                     | Environment - freshwater                   |                             | PNEC       | 0,17  | µg/l         |      |
|                     | Environment - marine                       |                             | PNEC       | 0,017 | µg/l         |      |
|                     | Environment - sediment, freshwater         |                             | PNEC       | 3,47  | mg/kg dw     |      |
|                     | Environment - sediment, marine             |                             | PNEC       | 0,347 | mg/kg dw     |      |
|                     | Environment - soil                         |                             | PNEC       | 2,46  | mg/kg dw     |      |
|                     | Environment - sewage treatment plant       |                             | PNEC       | 10    | mg/l         |      |
| Consumer            | Human - dermal                             | Long term, systemic effects | DNEL       | 0,2   | mg/kg bw/day |      |
| Consumer            | Human - inhalation                         | Long term, systemic effects | DNEL       | 0,34  | mg/m3        |      |
| Consumer            | Human - oral                               | Long term, systemic effects | DNEL       | 0,2   | mg/kg bw/day |      |
| Workers / employees | Human - dermal                             | Long term, systemic effects | DNEL       | 0,4   | mg/kg bw/day |      |
| Workers / employees | Human - inhalation                         | Long term, systemic effects | DNEL       | 1,39  | mg/m3        |      |

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene**

| Area of application | Exposure route / Environmental compartment           | Effect on health            | Descriptor | Value | Unit         | Note |
|---------------------|------------------------------------------------------|-----------------------------|------------|-------|--------------|------|
|                     | Environment - freshwater                             |                             | PNEC       | 0,034 | mg/l         |      |
|                     | Environment - marine                                 |                             | PNEC       | 0,003 | mg/l         |      |
|                     | Environment - water, sporadic (intermittent) release |                             | PNEC       | 0,51  | mg/l         |      |
|                     | Environment - sediment, freshwater                   |                             | PNEC       | 0,446 | mg/kg dw     |      |
|                     | Environment - sediment, marine                       |                             | PNEC       | 0,045 | mg/kg dw     |      |
|                     | Environment - soil                                   |                             | PNEC       | 17,6  | mg/kg dw     |      |
|                     | Environment - sewage treatment plant                 |                             | PNEC       | 10    | mg/l         |      |
| Consumer            | Human - dermal                                       | Long term, systemic effects | DNEL       | 0,22  | mg/kg bw/day |      |
| Consumer            | Human - inhalation                                   | Long term, systemic effects | DNEL       | 0,08  | mg/m3        |      |
| Consumer            | Human - oral                                         | Long term, systemic effects | DNEL       | 0,05  | mg/kg bw/day |      |
| Workers / employees | Human - dermal                                       | Long term, systemic effects | DNEL       | 0,44  | mg/kg bw/day |      |
| Workers / employees | Human - inhalation                                   | Long term, systemic effects | DNEL       | 0,31  | mg/m3        |      |

**Isodecyl methacrylate**

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit  | Note |
|---------------------|--------------------------------------------|------------------|------------|-------|-------|------|
|                     | Environment - sediment, marine             |                  | PNEC       | 0,004 | mg/kg |      |
|                     | Environment - sediment, freshwater         |                  | PNEC       | 0,042 | mg/kg |      |
|                     | Environment - freshwater                   |                  | PNEC       | 0,24  | µg/l  |      |
|                     | Environment - marine                       |                  | PNEC       | 0,024 | µg/l  |      |

|                     |                                      |                             |      |       |       |  |
|---------------------|--------------------------------------|-----------------------------|------|-------|-------|--|
|                     | Environment - soil                   |                             | PNEC | 0,008 | mg/kg |  |
|                     | Environment - sewage treatment plant |                             | PNEC | 50    | mg/l  |  |
| Workers / employees | Human - inhalation                   | Long term, systemic effects | DNEL | 2,5   | mg/m3 |  |
| Workers / employees | Human - dermal                       | Long term, systemic effects | DNEL | 5     | mg/kg |  |

| Distillates (petroleum), hydrotreated heavy paraffinic |                                            |                             |            |       |            |      |
|--------------------------------------------------------|--------------------------------------------|-----------------------------|------------|-------|------------|------|
| Area of application                                    | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit       | Note |
|                                                        | Environment - oral (animal feed)           |                             | PNEC       | 9,33  | mg/kg feed |      |
| Consumer                                               | Human - inhalation                         | Long term, local effects    | DNEL       | 1,2   | mg/m3      |      |
| Workers / employees                                    | Human - inhalation                         | Long term, systemic effects | DNEL       | 2,73  | mg/m3      |      |
| Workers / employees                                    | Human - dermal                             | Long term, systemic effects | DNEL       | 0,97  | mg/kg      |      |
| Workers / employees                                    | Human - inhalation                         | Long term, local effects    | DNEL       | 5,6   | mg/m3      |      |

GB - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (11) = Inhalable fraction

(2004/37/EC). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/EC). |

| WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).

(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |

| Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/EC), (14) = The substance can cause sensitisation of the skin (2004/37/EC), (15) = Substantial contribution to the total body burden via dermal exposure possible. |

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Page 9 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
 Revision date / version: 07.11.2025 / 0023  
 Replacing version dated / version: 17.06.2025 / 0022  
 Valid from: 07.11.2025  
 PDF print date: 10.11.2025  
 Kettenspray  
 Chain Spray

Skin protection - Hand protection:  
 Chemical resistant protective gloves (EN ISO 374).  
 If applicable  
 Protective nitrile gloves (EN ISO 374).  
 Protective gloves made of polyvinyl alcohol (EN ISO 374).  
 Protective Viton® / fluoroelastomer gloves (EN ISO 374).  
 Minimum layer thickness in mm:  
 0,5  
 Permeation time (penetration time) in minutes:  
 480  
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.  
 The recommended maximum wearing time is 50% of breakthrough time.  
 Protective hand cream recommended.

Skin protection - Other:  
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
 Normally not necessary.  
 If the workplace limit value is exceeded.  
 Filter A2 P2 (EN 14387), code colour brown, white  
 At high concentrations:  
 Respiratory protection appliance (insulation device) (e.g. EN 137 or EN 138)  
 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                           |                                                      |
|-----------------------------------------------------------|------------------------------------------------------|
| Physical state:                                           | Aerosol. Active substance: liquid.                   |
| Colour:                                                   | Light brown                                          |
| Odour:                                                    | Characteristic                                       |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | n.a.                                                 |
| Flammability:                                             | Does not apply to aerosols.                          |
| Lower explosion limit:                                    | There is no information available on this parameter. |
| Upper explosion limit:                                    | There is no information available on this parameter. |
| Flash point:                                              | Does not apply to aerosols.                          |
| Auto-ignition temperature:                                | Does not apply to aerosols.                          |
| Decomposition temperature:                                | There is no information available on this parameter. |
| pH:                                                       | Mixture is non-soluble (in water).                   |
| Kinematic viscosity:                                      | Does not apply to aerosols.                          |
| Solubility:                                               | Insoluble                                            |
| Partition coefficient n-octanol/water (log value):        | Does not apply to mixtures.                          |
| Vapour pressure:                                          | There is no information available on this parameter. |
| Density and/or relative density:                          | ~0,718 g/ml                                          |
| Relative vapour density:                                  | Does not apply to aerosols.                          |
| Particle characteristics:                                 | Does not apply to aerosols.                          |

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 07.11.2025 / 0023

Replacing version dated / version: 17.06.2025 / 0022

Valid from: 07.11.2025

PDF print date: 10.11.2025

Kettenspray

Chain Spray

## 9.2 Other information

Explosives:

Product is not explosive. Possible build up of explosive/highly flammable vapour/air mixture.

Oxidising liquids:

No

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

Heating, open flame, ignition sources

Pressure increase will result in danger of bursting.

### 10.5 Incompatible materials

Avoid contact with oxidizing agents.

### 10.6 Hazardous decomposition products

No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Kettenspray<br>Chain Spray                                    |          |       |      |          |             |        |
|---------------------------------------------------------------|----------|-------|------|----------|-------------|--------|
| Toxicity / effect                                             | Endpoint | Value | Unit | Organism | Test method | Notes  |
| Acute toxicity, by oral route:                                |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route:                              |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:                                |          |       |      |          |             | n.d.a. |
| Skin corrosion/irritation:                                    |          |       |      |          |             | n.d.a. |
| Serious eye damage/irritation:                                |          |       |      |          |             | n.d.a. |
| Respiratory or skin sensitisation:                            |          |       |      |          |             | n.d.a. |
| Germ cell mutagenicity:                                       |          |       |      |          |             | n.d.a. |
| Carcinogenicity:                                              |          |       |      |          |             | n.d.a. |
| Reproductive toxicity:                                        |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |      |          |             | n.d.a. |
| Aspiration hazard:                                            |          |       |      |          |             | n.d.a. |
| Symptoms:                                                     |          |       |      |          |             | n.d.a. |

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane |          |       |         |            |                                              |                   |
|-------------------------------------------------------------------|----------|-------|---------|------------|----------------------------------------------|-------------------|
| Toxicity / effect                                                 | Endpoint | Value | Unit    | Organism   | Test method                                  | Notes             |
| Acute toxicity, by oral route:                                    | LD50     | >5840 | mg/kg   | Rat        |                                              |                   |
| Acute toxicity, by dermal route:                                  | LD50     | >2920 | mg/kg   | Rat        |                                              |                   |
| Acute toxicity, by inhalation:                                    | LC50     | 25,2  | mg/l/4h | Rat        |                                              | Vapours           |
| Skin corrosion/irritation:                                        |          |       |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion) | Skin Irrit. 2     |
| Serious eye damage/irritation:                                    |          |       |         |            |                                              | Slightly irritant |
| Respiratory or skin sensitisation:                                |          |       |         | Guinea pig | OECD 406 (Skin Sensitisation)                | No (skin contact) |

Page 11 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
 Revision date / version: 07.11.2025 / 0023  
 Replacing version dated / version: 17.06.2025 / 0022  
 Valid from: 07.11.2025  
 PDF print date: 10.11.2025  
 Kettenspray  
 Chain Spray

|                                                             |  |  |  |  |  |                                                                       |
|-------------------------------------------------------------|--|--|--|--|--|-----------------------------------------------------------------------|
| Specific target organ toxicity - single exposure (STOT-SE): |  |  |  |  |  | May cause drowsiness or dizziness., STOT SE 3, H336                   |
| Aspiration hazard:                                          |  |  |  |  |  | Yes                                                                   |
| Symptoms:                                                   |  |  |  |  |  | may cause headaches and vertigo., nausea, drowsiness, unconsciousness |

| O,O,O-triphenyl phosphorothioate |          |        |       |          |                                              |              |
|----------------------------------|----------|--------|-------|----------|----------------------------------------------|--------------|
| Toxicity / effect                | Endpoint | Value  | Unit  | Organism | Test method                                  | Notes        |
| Acute toxicity, by oral route:   | LD50     | > 2000 | mg/kg | Rat      | OECD 401 (Acute Oral Toxicity)               |              |
| Skin corrosion/irritation:       |          |        |       | Rabbit   | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation:   |          |        |       | Rabbit   | OECD 405 (Acute Eye Irritation/Corrosion)    | Not irritant |

| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene |          |       |         |            |                                                                                                  |                                                  |
|-----------------------------------------------------------------------|----------|-------|---------|------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Toxicity / effect                                                     | Endpoint | Value | Unit    | Organism   | Test method                                                                                      | Notes                                            |
| Acute toxicity, by oral route:                                        | LD50     | >5000 | mg/kg   | Rat        | OECD 401 (Acute Oral Toxicity)                                                                   |                                                  |
| Acute toxicity, by dermal route:                                      | LD50     | >2000 | mg/kg   | Rat        | OECD 402 (Acute Dermal Toxicity)                                                                 |                                                  |
| Acute toxicity, by inhalation:                                        | LD50     | >5    | mg/l/4h | Rat        |                                                                                                  |                                                  |
| Skin corrosion/irritation:                                            |          |       |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion)                                                     | Mild irritant                                    |
| Serious eye damage/irritation:                                        |          |       |         | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)                                                        | Not irritant                                     |
| Respiratory or skin sensitisation:                                    |          |       |         | Guinea pig | OECD 406 (Skin Sensitisation)                                                                    | No (skin contact)                                |
| Germ cell mutagenicity:                                               |          |       |         |            | OECD 487 (In Vitro Mammalian Cell Micronucleus Test)                                             | Negative                                         |
| Reproductive toxicity:                                                |          |       |         | Rat        | OECD 443 (Extended One-Generation Reproductive Toxicity Study)                                   | Possible risk of impaired fertility.             |
| Specific target organ toxicity - single exposure (STOT-SE):           |          |       |         |            |                                                                                                  | Negative                                         |
| Specific target organ toxicity - repeated exposure (STOT-RE):         |          |       |         | Rat        | OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/Developm. Tox. Screening Test) | Target organ(s): Thyroid, Target organ(s): liver |

| Isodecyl methacrylate              |          |       |       |          |                                                        |                   |
|------------------------------------|----------|-------|-------|----------|--------------------------------------------------------|-------------------|
| Toxicity / effect                  | Endpoint | Value | Unit  | Organism | Test method                                            | Notes             |
| Acute toxicity, by oral route:     | LD50     | >5000 | mg/kg | Rat      | OECD 401 (Acute Oral Toxicity)                         |                   |
| Acute toxicity, by dermal route:   | LD50     | >2000 | mg/kg | Rabbit   |                                                        |                   |
| Respiratory or skin sensitisation: |          |       |       | Mouse    | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | No (skin contact) |

| Hydrocarbons, C3-4 |          |       |      |          |             |       |
|--------------------|----------|-------|------|----------|-------------|-------|
| Toxicity / effect  | Endpoint | Value | Unit | Organism | Test method | Notes |

Page 12 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
 Revision date / version: 07.11.2025 / 0023  
 Replacing version dated / version: 17.06.2025 / 0022  
 Valid from: 07.11.2025  
 PDF print date: 10.11.2025  
 Kettenspray  
 Chain Spray

|                                                               |       |       |     |     |                                                          |                                                                                     |
|---------------------------------------------------------------|-------|-------|-----|-----|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| Germ cell mutagenicity:                                       |       |       |     | Rat | OECD 474 (Mammalian Erythrocyte Micronucleus Test)       | Negative                                                                            |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEC | 10000 | ppm | Rat | OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study) |                                                                                     |
| Symptoms:                                                     |       |       |     |     |                                                          | malaise, nausea, dizziness, mucous membrane irritation, drowsiness, unconsciousness |

## 11.2. Information on other hazards

| Kettenspray<br>Chain Spray       |          |       |      |          |             |                                                                       |
|----------------------------------|----------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes                                                                 |
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply to mixtures.                                           |
| Other information:               |          |       |      |          |             | No other relevant information available on adverse effects on health. |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Kettenspray<br>Chain Spray               |          |      |       |      |          |             |                                                                       |
|------------------------------------------|----------|------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes                                                                 |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.                                                                |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | Isolate as much as possible with an oil separator.                    |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.                                                                |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.                                                                |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.                                           |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment. |
| Other information:                       |          |      |       |      |          |             | According to the recipe, contains no AOX.                             |

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane |           |      |       |      |                     |             |       |
|-------------------------------------------------------------------|-----------|------|-------|------|---------------------|-------------|-------|
| Toxicity / effect                                                 | Endpoint  | Time | Value | Unit | Organism            | Test method | Notes |
| 12.1. Toxicity to fish:                                           | NOEC/NOEL | 28d  | 2,045 | mg/l | Oncorhynchus mykiss | QSAR        |       |

|                                          |           |     |         |      |                          |                                                                    |                                                                              |
|------------------------------------------|-----------|-----|---------|------|--------------------------|--------------------------------------------------------------------|------------------------------------------------------------------------------|
| 12.1. Toxicity to fish:                  | LC50      | 96h | 11,4    | mg/l | Oncorhynchus mykiss      | OECD 203 (Fish, Acute Toxicity Test)                               | Goldforelle (Oncorhynchus aguabonita)                                        |
| 12.1. Toxicity to daphnia:               | EL50      | 48h | 3       | mg/l | Daphnia magna            | OECD 202 (Daphnia sp. Acute Immobilisation Test)                   |                                                                              |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 21d | 1       | mg/l | Daphnia magna            | OECD 211 (Daphnia magna Reproduction Test)                         |                                                                              |
| 12.1. Toxicity to algae:                 | EL50      | 72h | 30      | mg/l | Raphidocelis subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                                                              |
| 12.2. Persistence and degradability:     |           | 28d | 100     | %    |                          | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Readily biodegradable                                                        |
| 12.3. Bioaccumulative potential:         | BCF       |     | 26-315  |      |                          |                                                                    |                                                                              |
| 12.3. Bioaccumulative potential:         | Log Pow   |     | 3,4-5,2 |      |                          |                                                                    | A notable biological accumulation potential has to be expected (LogPow > 3). |
| 12.5. Results of PBT and vPvB assessment |           |     |         |      |                          |                                                                    | No PBT substance, No vPvB substance                                          |
| 12.7. Other adverse effects:             |           |     |         |      |                          |                                                                    | Product floats on the water surface.                                         |

| O,O,O-triphenyl phosphorothioate         |           |      |         |      |                     |                                                                                     |                   |
|------------------------------------------|-----------|------|---------|------|---------------------|-------------------------------------------------------------------------------------|-------------------|
| Toxicity / effect                        | Endpoint  | Time | Value   | Unit | Organism            | Test method                                                                         | Notes             |
| 12.1. Toxicity to fish:                  | LC50      | 96h  | >100    | mg/l | Brachydanio rerio   | OECD 203 (Fish, Acute Toxicity Test)                                                |                   |
| 12.1. Toxicity to fish:                  | NOEC/NOEL | >60d | 1,7     | µg/l | Oncorhynchus mykiss | OECD 210 (Fish, Early-Life Stage Toxicity Test)                                     | Aquatic Chronic 1 |
| 12.1. Toxicity to daphnia:               | EC50      | 48h  | >100    | mg/l | Daphnia magna       | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                    |                   |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 21d  | 0,00724 | mg/l | Daphnia magna       | OECD 211 (Daphnia magna Reproduction Test)                                          |                   |
| 12.2. Persistence and degradability:     | DT50      | >60d |         |      |                     | OECD 309 (Aerobic Mineralisation in Surface Water - Simulation Biodegradation Test) | Not biodegradable |
| 12.3. Bioaccumulative potential:         | Log Pow   |      | 5,1     |      |                     |                                                                                     | To be expected    |
| 12.3. Bioaccumulative potential:         | BCF       |      | 2551    |      |                     |                                                                                     |                   |
| 12.5. Results of PBT and vPvB assessment |           |      |         |      |                     |                                                                                     | PBT-substance     |

|                       |      |    |      |      |                  |                                                                                                            |  |
|-----------------------|------|----|------|------|------------------|------------------------------------------------------------------------------------------------------------|--|
| Toxicity to bacteria: | IC50 | 3h | >100 | mg/l | activated sludge | OECD 209<br>(Activated Sludge,<br>Respiration<br>Inhibition Test<br>(Carbon and<br>Ammonium<br>Oxidation)) |  |
|-----------------------|------|----|------|------|------------------|------------------------------------------------------------------------------------------------------------|--|

**Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene**

| Toxicity / effect                           | Endpoint | Time | Value | Unit  | Organism                   | Test method                                                                                                | Notes                                     |
|---------------------------------------------|----------|------|-------|-------|----------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| 12.1. Toxicity to fish:                     | LC50     | 96h  | >100  | mg/l  | Brachydanio rerio          | OECD 203 (Fish,<br>Acute Toxicity<br>Test)                                                                 |                                           |
| 12.1. Toxicity to daphnia:                  | EC50     | 48h  | 51    | mg/l  | Daphnia magna              | OECD 202<br>(Daphnia sp.<br>Acute<br>Immobilisation<br>Test)                                               |                                           |
| 12.1. Toxicity to daphnia:                  | EC10     | 21d  | 1,69  | mg/l  | Daphnia magna              | OECD 211<br>(Daphnia magna<br>Reproduction Test)                                                           |                                           |
| 12.1. Toxicity to algae:                    | EC50     | 72h  | >100  | mg/l  | Desmodesmus<br>subspicatus | OECD 201 (Alga,<br>Growth Inhibition<br>Test)                                                              |                                           |
| 12.2. Persistence and<br>degradability:     | Log Koc  |      | 3,8   |       |                            |                                                                                                            | calculated value                          |
| 12.2. Persistence and<br>degradability:     | Log Pow  |      | >6    |       |                            |                                                                                                            |                                           |
| 12.3. Bioaccumulative<br>potential:         | BCF      | 42d  | 411   |       | Cyprinus caprio            |                                                                                                            | Analogous<br>conclusion                   |
| 12.5. Results of PBT<br>and vPvB assessment |          |      |       |       |                            |                                                                                                            | No PBT<br>substance, No<br>vPvB substance |
| 12.6. Endocrine<br>disrupting properties:   |          |      |       |       |                            |                                                                                                            | No                                        |
| Toxicity to bacteria:                       | EC20     | 3h   | ~100  | mg/l  | activated sludge           | OECD 209<br>(Activated Sludge,<br>Respiration<br>Inhibition Test<br>(Carbon and<br>Ammonium<br>Oxidation)) |                                           |
| Toxicity to annelids:                       | EC10     | 56d  | 259   | mg/kg | Eisenia foetida            | OECD 222<br>(Earthworm<br>Reproduction Test<br>(Eisenia<br>fetida/Eisenia<br>andrei))                      |                                           |

**Isodecyl methacrylate**

| Toxicity / effect          | Endpoint  | Time | Value | Unit | Organism                   | Test method                                                  | Notes |
|----------------------------|-----------|------|-------|------|----------------------------|--------------------------------------------------------------|-------|
| 12.1. Toxicity to fish:    | LC50      | 48h  | 470   | mg/l | Leuciscus idus             | DIN 38412 T.15                                               |       |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d  | 54,2  | µg/l | Daphnia magna              | OECD 202<br>(Daphnia sp.<br>Acute<br>Immobilisation<br>Test) |       |
| 12.1. Toxicity to algae:   | EC50      | 72h  | >16-9 | µg/l | Desmodesmus<br>subspicatus | OECD 201 (Alga,<br>Growth Inhibition<br>Test)                |       |
| 12.1. Toxicity to algae:   | NOEC/NOEL | 72h  | 12    | µg/l | Desmodesmus<br>subspicatus | OECD 201 (Alga,<br>Growth Inhibition<br>Test)                |       |

|                                          |  |     |    |   |  |                                                                                           |                                     |
|------------------------------------------|--|-----|----|---|--|-------------------------------------------------------------------------------------------|-------------------------------------|
| 12.2. Persistence and degradability:     |  | 28d | 62 | % |  | OECD 310<br>(Ready Biodegradability - CO <sub>2</sub> in sealed vessels (Headspace Test)) |                                     |
| 12.2. Persistence and degradability:     |  | 28d | 88 | % |  | OECD 301 B<br>(Ready Biodegradability - Co <sub>2</sub> Evolution Test)                   | Readily biodegradable               |
| 12.5. Results of PBT and vPvB assessment |  |     |    |   |  |                                                                                           | No PBT substance, No vPvB substance |

| Hydrocarbons, C3-4                       |          |      |       |      |          |             |                                                                                 |
|------------------------------------------|----------|------|-------|------|----------|-------------|---------------------------------------------------------------------------------|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes                                                                           |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | Biodegradable                                                                   |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | A notable biological accumulation potential is not to be expected (LogPow 1-3). |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | Product is slightly volatile.                                                   |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | No PBT substance, No vPvB substance                                             |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 06 04 other organic solvents, washing liquids and mother liquors

16 05 04 gases in pressure containers (including halons) containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Take full aerosol cans to problem waste collection.

Take emptied aerosol cans to valuable material collection.

#### For contaminated packing material

Pay attention to local and national official regulations.

Recommendation:

Do not perforate, cut up or weld uncleaned container.

## SECTION 14: Transport information

### General statements

#### Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: 1950

14.2. UN proper shipping name:

UN 1950 AEROSOLS

14.3. Transport hazard class(es): 2.1



Page 16 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
 Revision date / version: 07.11.2025 / 0023  
 Replacing version dated / version: 17.06.2025 / 0022  
 Valid from: 07.11.2025  
 PDF print date: 10.11.2025  
 Kettenspray  
 Chain Spray

14.4. Packing group: -  
 14.5. Environmental hazards: environmentally hazardous  
 Tunnel restriction code: D  
 Classification code: 5F  
 LQ: 1 L  
 Transport category: 2

### Transport by sea (IMDG-code)

14.1. UN number or ID number: 1950  
 14.2. UN proper shipping name: UN 1950 AEROSOLS  
 14.3. Transport hazard class(es): 2.1  
 14.4. Packing group: -  
 14.5. Environmental hazards: environmentally hazardous  
 Marine Pollutant: Yes  
 EmS: F-D, S-U



### Transport by air (IATA)

14.1. UN number or ID number: 1950  
 14.2. UN proper shipping name: UN 1950 Aerosols, flammable  
 14.3. Transport hazard class(es): 2.1  
 14.4. Packing group: -  
 14.5. Environmental hazards: Not applicable



### 14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained.  
 All persons involved in transporting must observe safety regulations.  
 Precautions must be taken to prevent damage.

### 14.7. Maritime transport in bulk according to IMO instruments

Freighted as packaged goods rather than in bulk, therefore not applicable.  
 Minimum amount regulations have not been taken into account.  
 Danger code and packing code on request.  
 Comply with special provisions.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:  
 Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!  
 Regulation (EC) No 1907/2006, Annex XVII  
 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane  
 Comply with trade association/occupational health regulations.  
 Regulation (EU) No 649/2012 'concerning the export and import of hazardous chemicals' must be adhered to, as the product contains a substance that falls within the scope of this Regulation.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

| Hazard categories | Notes to Annex I | Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Lower-tier requirements | Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Upper-tier requirements |
|-------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| E2                |                  | 200                                                                                                                                   | 500                                                                                                                                   |
| P3a               | 11.1             | 150 (netto)                                                                                                                           | 500 (netto)                                                                                                                           |

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC): ~ 60,5 %

Observe incident regulations.

Page 17 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)  
 Revision date / version: 07.11.2025 / 0023  
 Replacing version dated / version: 17.06.2025 / 0022  
 Valid from: 07.11.2025  
 PDF print date: 10.11.2025  
 Kettenspray  
 Chain Spray

National requirements/regulations on safety and health protection must be applied when using work equipment.

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections: 8  
 Employee training in handling dangerous goods is required.  
 These details refer to the product as it is delivered.  
 Employee instruction/training in handling hazardous materials is required.

## Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                              |
|-----------------------------------------------------------------------|-----------------------------------------------------|
| Skin Irrit. 2, H315                                                   | Classification according to calculation procedure.  |
| Asp. Tox. 1, H304                                                     | Classification according to calculation procedure.  |
| STOT SE 3, H336                                                       | Classification according to calculation procedure.  |
| Aquatic Chronic 2, H411                                               | Classification according to calculation procedure.  |
| Aerosol 1, H222                                                       | Classification according to calculation procedure.  |
| Aerosol 1, H229                                                       | Classification based on the form or physical state. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H361f Suspected of damaging fertility.  
 H225 Highly flammable liquid and vapour.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H336 May cause drowsiness or dizziness.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation  
 Asp. Tox. — Aspiration hazard  
 STOT SE — Specific target organ toxicity - single exposure - narcotic effects  
 Aquatic Chronic — Hazardous to the aquatic environment - chronic  
 Aerosol — Aerosols  
 Flam. Liq. — Flammable liquid  
 Repr. — Reproductive toxicity  
 Eye Irrit. — Eye irritation  
 STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

## Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.  
 Guidelines for the preparation of safety data sheets as amended (ECHA).  
 Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).  
 Safety data sheets for the constituent substances.  
 ECHA Homepage - Information about chemicals.  
 GESTIS Substance Database (Germany).  
 German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).  
 EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.  
 National Lists of Occupational Exposure Limits for each country as amended.  
 Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 07.11.2025 / 0023

Replacing version dated / version: 17.06.2025 / 0022

Valid from: 07.11.2025

PDF print date: 10.11.2025

Kettenspray

Chain Spray

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, Eblx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EμCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera

EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number

gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association

IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCSID International Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

mg/kg bw mg/kg body weight

mg/kg bw/d, mg/kg bw/day mg/kg body weight/day

mg/kg dw mg/kg dry weight

mg/kg wwt mg/kg wet weight

n.a. not applicable

n.av. not available

Page 19 of 19

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 07.11.2025 / 0023

Replacing version dated / version: 17.06.2025 / 0022

Valid from: 07.11.2025

PDF print date: 10.11.2025

Kettenspray

Chain Spray

n.c. not checked

n.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million

PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.  
No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.